



CO
RE
PEL

FLOORS

COREPEL FLOORS

True Authentics

— We live in turbulent times — marked by speed, sensory overload, and constant change. The **True Authentics** Collection is our quiet response to this restless world: a floor that radiates calm, embraces minimalism, and integrates effortlessly into any interior. For those who value clarity, consistency, and authenticity in an age of noise.

COREPEL SPC is the next generation of rigid vinyl — combining advanced surface aesthetics with technology that goes beyond today's standards:

Authentic design.

Experience the beauty of European oak — with ultra-matt finishes, embossed-in-register textures, and carefully curated colors.

Build to perform.


Waterproof to the core, highly scratch-resistant, and dimensionally stable — even in direct sunlight. Made to handle everyday life with ease.

Smart comfort.

Warm underfoot like real wood and up to 20 dB quieter. Install effortlessly over almost any surface without preparation. For peace, comfort and easy upgrades.



Golden Oak S41462



COREPEL FLOORS TRUE AUTHENTICS



COLLECTION

Guide

Discover the COREPEL SPC Premium Collection – a curated range of nextgeneration rigid vinyl floors. From the natural elegance of PREMIUM WOOD to the timeless sophistication of PREMIUM HERRINGBONE and the bold, architectural presence of PREMIUM STONE, each format combines ultra-matt surfaces with authentic texture and outstanding performance. Designed for modern living, built to last – and made to elevate any space.



PREMIUM WOOD


1522 × 225 × 5+1 mm
2G™ Angling Installation
10 Designs

PREMIUM HERRINGBONE

730 × 146 × 5+1 mm
UNIZIP® One Panel System
6 Designs

PREMIUM STONE

914 × 457 × 5+1 mm
2G™ Angling Installation
4 Designs



- 1 UV Coating
- 2 Wear-Layer (0,55 mm)
- 3 SPC Core
- 4 Click Connection
- 5 IXPE Backing (1 mm)




PREMIUM WOOD

The true Ten


Cottage Oak S41472

Ten authentic wooden
floorboards, carefully
curated.


Beige Oak S41402










Brown Oak S41392



Nature Oak S41412





■ From *Brown Oak* to *Vintage Oak* – each color has been tailored to timeless interior design trends and reflects a broad spectrum: from fine grains and floral details to striking wood structures with an expressive character.




Ideal for: Living room, bedroom, open spaces

Format: 1522 × 225 × 6 mm




(including 1 mm impact sound insulation)

PREMIUM HERRINGBONE

The timeless Six



Classic herringbone
reimagined in six
harmoniously coor-
dinated decors.



For rooms with architectural impact and stylistic clarity. The reduced color palette blends seamlessly into both modern and classic interiors. The six herringbone designs match the colors of the PREMIUM WOOD collection – ideal for harmoniously combining both formats.


Ideal for: Entrance areas, living and working spaces

Format: 730 × 146 × 6 mm
(including 1 mm impact sound insulation)

PREMIUM STONE

The solid Four






Creme Tile S51582



Gray Concrete S51562



Bright Concrete S51572



Anthracite Stone S51552

Inspired by
the power of
natural stone.





— Volcanic rock, concrete, and limestone – our tile designs lend kitchens, bathrooms, and modern spaces a calm and down-to-earth feel with a mineral look

Ideal for: Entrance areas, kitchen, bathroom

Format: 914 × 457 × 6 mm
(including 1 mm impact sound insulation)

INSTALLATION

PREMIUM WOOD & PREMIUM STONE




**2G™ angling
installation system**

— The 2G™ system enables quick and secure installation without special tools. The panels are locked into place at an angle along the long side and then connected at an angle along the short side. The connection is purely mechanical – no glue

is required – and ensures a durable and stable click connection. The system allows for quick installation and is suitable for both professional installers and DIY applications.

PREMIUM HERRINGBONE




UNIZIP®
PATENTED TECHNOLOGY

— The UNIZIP® system greatly simplifies the traditional, time-consuming process of laying herringbone floors. Instead of two different panel types, only one panel type is required. The short side is snapped directly into the long side of the adjacent

panel – clean, quick, and precise. The system significantly reduces installation errors and installation time. This allows herringbone floors to be laid efficiently and accurately.

SKIRTINGS




FACTS

PREMIUM WOOD

Use Class	EN 16511	33
Thickness	EN 17539	6 mm (5+1 mm)
Width	EN 17539	225 mm
Length	EN 17539	1522 mm
Panels per Box		5
Box Content		1.712 m ²
Box Weight		17.95 kg
Profile		2G™ Angling Installation System
Bevel		Microbevel 4-sided
Wearlayer	ISO 24340:2006 (E)	0.55 mm
Surface		EiR/Synchronpore Supermatt (Gloss level 3-5)
Abrasion Class		AC 5
Reaction to Fire (CE)	EN 13501-1	B1
Thermal Conductivity	EN 12667	0.111 W/m·K
Underfloor Heating Suitability		✓
Slip Resistance		R9
Abrasion Resistance		≥ 5,000 r
Locking Strenght	ISO 24334	≥ 3.5 kN/m
Microscratch Resistance	EN 16094	B2
Dimensional Stability	EN ISO 23999	≤ 0.15 %
Impact Sound Insulation		1 mm IXPE, 10X
Impact Sound Improvement	ISO 10140-3	20 dB
Formaldehyde/VOC Emissions Free		✓
Phthalat Free		✓

**PREMIUM
HERRINGBONE****PREMIUM
STONE**

33	33
6 mm (5+1 mm)	6 mm (5+1 mm)
146 mm	457 mm
730 mm	914 mm
16	4
1.705 m ²	1.671 m ²
17.88 kg	17.53 kg
UNIZIP® One Panel System	2G™ Angling Installation System
Microbevel 4-sided	Microbevel 4-sided
0.55 mm	0.55 mm
EiR/Synchronpore (Gloss level 3-5)	structured Supermatt (Gloss level 3-5)
AC5	AC5
B1	B1
0.111 W/m·K	0.111 W/m·K
✓	✓
R9	R9
≥ 5,000 r	≥ 5,000 r
≥ 3.5 kN/m	≥ 3.5 kN/m
B2	B2
≤ 0.15 %	≤ 0.15 %
1 mm IXPE, 10X	1 mm IXPE, 10X
20 dB	20 dB
✓	✓
✓	✓



Produced for

SWISS KRONO TEX GmbH & Co. KG
Wittstocker Chaussee 1
D-16909 Heiligengrabe
Germany

The right to technical modifications is reserved.

The illustrations may differ from the actual product due to printing limitations.

Photos: Emotions4Life, Vogelsänger

EN 000-1025-SK